

U SERIES

U10 clix.

iriver



PLAYS MUSIC, VIDEO, PHOTOS AND MORE



Launching - May, 2006



Model variation

U10 clix 2GB*



Color variation

White



Built in Flash memory for skip-free playback

- Easy access with intuitive Direct Click interface
- Large & vibrant color LCD with dynamic GUI (2.22 inch 260,000 color QVGA TFT-LCD)
- Chameleon Display, unusual ability to change its appearance
- Plays up to 25 hours
- Supports music file such as MP3, WMA, ASF and OGG Q10
- Displays album information on the song currently playing back
- FM radio and FM recording reservation
- Voice recording
- Direct recording from a stereo (with cradle only)
- Photo album + Slide show**
- Movie player***
- FLASH**** player + Game
- Text viewer
- Alarm with real-time clock
- USB 2.0, Ultra fast data transfer
- PlaysForSure (with WMP10 or later)
- Supports Urge Service
- Firmware Upgradable



* 1GB=1,000MB = 1,000,000,000Byte. Not all memory space available for file storage.

** The Progressive JPG is not supported.

*** MPEG4 simple profile QVGA (15fps)

**** Macromedia Flash Lite 2.0

U SERIES

U10 clix.



The beautifully designed iriver clix features a new ultra-intuitive interface that is easily customizable to match your style. Plus, the iriver clix works with both subscription and pay-per-song music services, so millions of songs are available to you.

aDetailed specification

Series	iriver U Series	
Product	U10 Clix	
Models in the U10 clix	U10 clix 2GB*	
General	Continuous Playback Time	Approx. 25 hours (MP3, 128kbps, EQ Normal, Vol 20, LCD Off)
	Connection Type	USB 2.0
	Equalizer	10 EQ, User EQ and SRS WOW
	Dimensions	Approx. 2.7" x 1.8" x 0.6"
	Weight	Approx. 2.5oz
	Operational Temperature	-5°C ~ 40°C
	Line In/Out	with Cradle only
Display	Main Set Display	2.22" 260,000 color QVGA TFT-LCD
Power Supply	AC Adaptor	DC 5V/2A (optional)
	Battery	Internal Li-poly rechargeable battery
Audio	Frequency Range	20Hz~20kHz
	Headphone Output Power	15mW(R) + 15mW(L) (16 Ohm) at Max. Volume
	S/N Ratio	90dB : A weighted
	No. Channels	Stereo (L+R)
FM Tuner	Frequency Range	87.5MHz ~ 108MHz
	S/N Ratio	60dB : a weighted
	Antenna	Headphone / Earphone-Cord Antenna
Audio Support	Audio File Type	MPEG 1/2/2.5 Layer 3, WMA, ASF, OGG
	Bit Rate	MP3, WMA : 8Kbps ~ 320Kbps / OGG : Up to Q10
	Tag	ID3 V1 Tag, ID3 V2 2.0, ID3 V2 3.0, ID3 V2 4.0
Multimedia Support	File Type	MPEG4 simple profile QVGA (15fps)***, Macromedia Flash Lite 2.0, TXT, non-progressive JPEG**
O/S	Windows requirement	Windows XP with SP2 or later

www.iriver.com

© COPYRIGHT 2006 iriver ALL RIGHT RESERVED

iriver is a registered trademark of ReignCom Ltd. All other company or product names are trademarks or registered trademarks of their respective owners. All technical features are subject to change without notice. The final version of the product may differ slightly from the pictures and verbal descriptions provided herein.

Launching - May, 2006

U10 Cradle

Optional Accessories

Compatible with
U10S12MB/1GB/2GB
U10 clix 2GB

- Perfect fit for iriver U10 Series
- Remote control
- Built-in Stereo speaker
- Records directly from a stereo (Line-in)
- Supports external speaker (Line-out)
- Recharges U10
- Synchronizes with a USB cable



U10 Cradle is compatible only with the iriver U10 Series

with cradle & remote control

